



NUSTRI

MADE IN ITALY



Ironing machines for knitwear factories, laundries and clothes factories



MOD. P-990/VC

Knitting press with aluminium surfaces **cm 180x90**. **Without boiler**, arranged for the connection with central source of steam. Lower surface steam heated, vaporizing and vacuum by electric vacuum . Upper surface steam heated. Both the surface are made in aluminium.



www.nustri.com



nustri@nustri.com



0039 055-8734007





0039 055-8735123




Ironing machines for knitwear factories, laundries and clothes factories

TECHNICALS CHARACTERISTICS	MOD.	P990/VC
UPPER SURFACE	-	NOT STEAMING
LOWER SURFACE	-	STEAMING
UPPER SURFACE HEATING	-	BY STEAM
LOWER SURFACE HEATING	-	BY STEAM
ELECTRIC VACUUM Hp.0,6 Volts 220	Kwatt.	0.4
SURFACE DIMENSIONS	Cm.	180 x 90
VACUUM DISCHARGE PIPE	Ø	100 mm
AIR PRESSURE	bar	7
COMPRESSED AIR FEED	Ø	3/8"
MAXIMUM STEAM PRESSURE	bar	6
STEAM INLET	Ø	1/2"
CONDENSE OUTLET	Ø	1/2"
AIR COMPRESSED CONSUMPTION	Lt.	50 - 100
STEAM CONSUMPTION	Kg/h	18 - 20
SURFACE HEATING	-	STEAMING
MAXIMUM TOTAL POWER	Kwatt.	1
ELECTRIC FEED	Volts.	220 *
TENSION	Hz.	50 *
NET WEIGHT	Kg.	380
DIMENSIONS H x L x D (with opened upper surface)	Cm.	186 x 180 x 135
* Different technicals characteristics are available on demand.		



-  **Complete of**
- ◆ Vaporizing timer
 - ◆ Air vacuum timer
 - ◆ Timer for locker
 - ◆ Switch for press function press or table function
 - ◆ Vacuum and vaporizing lower surface
 - ◆ Steam heated, not vaporizing upper surface
 - ◆ Electric vacuum
 - ◆ Pneumatic suction valve



We keep the right to change details without notice