

Ironing machines for knitwear factories, laundries and clothes factories






MOD. 320/A

Air operated press for trousers ironing. Vaporizing and steam heated upper surface. Vacuum and steaming lower surface. Arranged for the connection to centralized source of steam.


Ironing machines for knitwear factories, laundries and clothes factories

TECHNICALS CHARACTERISTICS	MOD.	320/A
UPPER SURFACE	-	STEAMING
LOWER SURFACE	-	STEAMING
UPPER SURFACE HEATED	-	BY STEAM
LOWER SURFACE HEATED	-	BY STEAM
VACUUM	Kwatt.	0.4
VACUUM DISCAHRGE PIPE	Ø	100 mm
AIR PRESSURE	bar	7
COMPRESSED AIR SUPPLY	Ø	3/8"
STEAM SUPPLY	Ø	1/2"
WATER SUPPLY	Ø	Rubber tube mm
STEAM PRESSURE	bar	5
STEAM CONSUMPTION	kg/h	18 - 20
CONDENSATE INLET	Ø	1/2"
ELECTRIC SUPPLY	Volts.	230/400 *
TENSION	Hz.	50 *
DIMENSIONS H x L x D	Cm.	170 x 125 x 120
NET WEIGHT	Kg.	310
* Different technicals characteristics are available on demand.		



Complete of

- Foot-board and safety frame for upper surface
- Steam heated upper surface
- Vacuum and steaming lower surface
- Stuffed lower and upper surface
- Electric vacuum
- Pneumatic suctioning valve
- Pressure regulator
- Steaming timer
- Suctioning timer
- Upper surface lock timer
- Arranged for the connection to centralized source of air and steam





We keep the right to ch'ange details without notice



NUSTRI IRONING SYSTEMS Via della Mora, 7 50058 SIGNA (FI) ITALY

Telephone: 0039 055-8734007 Telefax: 0039 055-8735123

Internet: www.nustri.com